

Harvard Forest Data Archive HF048-03

Data File:

Name = hf048-03-herb.csv  
Description = herb  
Rows = 250 Columns = 24  
MD5 checksum = 8b1611e59f79ff42ef19d49816034ab3

Variables:

year = year of measurement  
aranud = percent cover of *Aralia nudicaulis*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
aritri = percent cover of *Arisaema triphyllum*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
clibor = percent cover of *Clintonia borealis*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
coptri = percent cover of *Coptis trifolia*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
denpun = percent cover of *Dennstaedtia punctilobula*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
dryspi = percent cover of *Dryopteris spinulosa*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
epirep = percent cover of *Epigaea repens*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
galspe = percent cover of *Galium* species. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
hupluc = percent cover of *Huperzia lucidula*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
maican = percent cover of *Maianthemum canadense*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
medvir = percent cover of *Medeola virginiana*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
monuni = percent cover of *Monotropa uniflora*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)  
osmcin = percent cover of *Osmunda cinnamomeum*. Cover was recorded to the nearest 1%.  
A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

oxaspe = percent cover of *Oxalis* species. Cover was recorded to the nearest 1%. A

cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

lysbor = percent cover of *Lysimachia borealis*. Cover was recorded to the nearest

1%. A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

triund = percent cover of *Trillium undulatum*. Cover was recorded to the nearest 1%.

A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

uvuses = percent cover of *Uvularia sessilifolia*. Cover was recorded to the nearest

1%. A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

unk = percent cover of unknown species. Cover was recorded to the nearest 1%. A

cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)


carspe = percent cover of *Carex* (to genus only). Cover was recorded to the nearest 1%. A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

gootes = percent cover of *Goodyera tessellata*. Cover was recorded to the nearest 1%. A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)


lycuni = percent cover of *Lycopus uniflorus*. Cover was recorded to the nearest 1%. A cover % of 0.5% was assigned to species present within a subplot but with less than 1% cover. (dimensionless)

Variable	Min	Median	Mean	Max	NAs
year	2002.000	2012.000	2010.720	2022.000	0
aranud	0.000	0.000	0.006	1.000	0
aritri	0.000	0.000	0.068	6.000	0
clibor	0.000	0.000	0.082	5.000	0
coptri	0.000	0.000	0.110	7.000	0
denpun	0.000	0.000	0.028	4.000	0
dryspi	0.000	0.000	0.454	30.000	0
epirep	0.000	0.000	0.108	25.000	0
galspe	0.000	0.000	0.010	1.000	0
hupluc	0.000	0.000	0.002	0.500	0
maican	0.000	0.000	0.168	6.000	0
medvir	0.000	0.000	0.304	12.000	0
monuni	0.000	0.000	0.002	0.500	0
osmcin	0.000	0.000	0.414	35.000	0
oxaspe	0.000	0.000	0.026	3.000	0
lysbor	0.000	0.000	0.008	1.000	0
triund	0.000	0.000	0.042	2.000	0
uvuses	0.000	0.000	0.024	2.000	0
unk	0.000	0.000	0.008	1.000	0
carspe	0.000	0.000	0.002	0.500	0
gootes	0.000	0.000	0.002	0.500	0
lycuni	0.000	0.000	0.022	4.000	0


# HF048-03 Plot 1




# HF048-03 Plot 2



# HF048-03 Plot 3



# HF048-03 Plot 4







# HF048-03 Plot 6

